# **HP LaserJet Pro MFP** 4101fdn/fdw/dw Black & White **Printer Series**



# Power office productivity with blazing speed, reliable hardware, and connectivity.

This printer is built for maximum productivity with fast speeds and reliable hardware, delivering effortless everyday use from wherever work happens so you can focus more on your business.



#### HP LaserJet Pro MFP 4101fdn Printer



#### HP LaserJet Pro MFP 4101fdw Printer



#### HP LaserJet Pro MFP 4101dw Printer

# Maximum productivity.

- Support your dynamic workteam with this high-speed smart printer, ideal for up to 10 users.
- Step up your workflow with blazing fast speeds up to 42 pages per minute, two-sided printing and scanning, and an auto document feeder.
- Scan both sides with a single pass. Dual-sided scanning allows your users to get more done in less time.
- Get productivity in the palm of your hand. Print, scan and get time-saving Shortcuts with HP Smart app.<sup>2</sup>

#### Seamless management.

- Centralize print management for your enterprise. HP Web JetAdmin makes it easy with its suite of features.4
- Set up your printers quickly wherever work happens. Cloud connectivity makes it easy for your IT team.
- Access your printers from a single dashboard. Smart Admin guides you through setup and gives IT visibility.3
- Avoid interruptions with Wi-Fi® that intelligently looks for the most stable connection to stay online <sup>8</sup>

### HP Wolf Pro Security.

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- Set up your printer security from the dashboard. Smart Admin makes IT configuration and monitoring easy.<sup>3</sup>
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Set configuration policies and validate settings universally with HP Security Manager.

Porferess operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs only 3 non <sup>14</sup> writess operators are comparised write.<sup>24</sup> or a call operators only, comparison on the call operators on the call operators

A A strate with the strate of Measured using IsUILE 24/34 and excludes inst set of test documents. For more information, see hp.com/g/o/mollop/interciaims. Exact speed varies depending on the system congulation, software applications. Subscription may be required, subscription may not be available in all countries. See details an local printing requirements see www.hps.mart.com.
 <sup>2</sup> Pacylices the HP Smart app download. For details on local printing requirements see www.hps.mart.com.
 <sup>3</sup> Easy setup and manage - Requires use of Smart Admin Dashboard for printer setup and hobarding of users.
 <sup>4</sup> HP Web Jetadmin is available for download. For details and company in HP Laserlet 200-500 series printers at launch. See hp.com/ecosmart
 <sup>6</sup> HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.
 <sup>7</sup> Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/recycle.

## Product walkaround

1. 2.7" (6.86 cm) intuitive color touchscreen (CGD)

2. Easy-access USB port

3. 100-sheet multipurpose tray 1 supports media sizes up to 8.5  $\times$  17 inches (216  $\times$  356 mm)

- 4. 50-sheet automatic document feeder (ADF) with single-pass, two-sided scanning
- 5. Flatbed scanner handles media sizes up to 8.5 x 11.7 inches (216 x 297 mm)
- 6. 150-sheet output bin
- 7. Automatic two-sided printing
- 8. 250-sheet input tray 2 supports media sizes up to  $8.5 \times 14$  inches (216  $\times$  356 mm)



# Series at a glance







Model	HP LaserJet Pro MFP 4101fdn Printer	HP LaserJet Pro MFP 4101fdw Printer	HP LaserJet Pro MFP 4101dw Printer		
Product number	2Z618F	2Z619F	2Z620F		
Functions	Print, scan, copy, fax. Print, scan, copy				
Print speed (letter/A4)	Up to 42/40 pages per minute (ppm)				
Scan speed (letter/A4)	Simplex: Up to 31/29 ppm (black); up to 21/20 ppm (color) Duplex: Up to 49/46 images per minute (ipm) (black); up to 36/34 ipm (color)				
Scanning	50-sheet ADF with single-pass, two sided scanning				
Automatic two-sided printing	√				
Control panel display	2.7-inch (6.86 cm) color touchscreen				
100-sheet multipurpose tray 1, 250-sheet tray 2	$\checkmark$				
Optional 550-sheet tray 3	Add up to one				
Input capacity (standard/maximum)	Up to 350/900 sheets				
Recommended monthly page volume	Up to 750 to 4000 pages				
Cartridge yields (A/X)	Black: ~2,900/9,500 pages				

## **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

#### For carepack availability visit: hp.com/go/cpc









HP Smart Ap



Compact design with groundbreaking performance. High-speed, double-sided printing at up to 42 ppm and dual-sided scanning. HP Smart app enabled so you can easily print and scan from the cloud, including applications like Google Drive™ and Dropbox<sup>™</sup>.<sup>1,2</sup>

Manage your printers with the powerful Web Jetadmin or connect your printers to the cloud with an HP account. Intuitive management tools help you set up your printers, onboard users, track toner levels, ensure security, and much more. 4.

Advance your security with legendary HP Wolf Pro Security—instantly embedded and preconfigured out of the box.

Accessories D9P29A	HP Laser Jet Pro 550-sheet Feeder Tray
Supplies W1480A W1480X	HP 148A Black Original LaserJet Toner Cartridge 1 Black (~2,900) pages HP 148X High Yield Black Original LaserJet Toner Cartridge 1 Black (~9,500) pages
Solutions	
Workflow: Scar	n Destinations
Security: HP Se	ecurity Manager; Optional Smart Security; HP Secure Print and Insights
	versal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; Optional Smart Printing Driver; Optional Print Anywhere ckup; HP Smart UPD
-	HP Web JetAdmin; HP Smart Admin; Embedded Web Server; HP Smart Printer Administrator's Resource Kit; HP Smart Device Services mand Center 2.0(ECP); Premium Fleet & Security Management on ECP(Premium Experience)
Services	
U42TYE - HP 2	year Next Business Day Service for LaserJet Pro MFP 410x
U42TZE - HP 3	year Next Business Day Service for Laser Jet Pro MFP 410x
U42U0E - HP 4	l year Next Business Day Service for LaserJet Pro MFP 410x
U42U1E - HP 5	i year Next Business Day Service for Laser Jet Pro MFP 410x
U42U2E - HP 2	2 year 4 hour 9x5 Service for LaserJet Pro MFP 410x
U42U3E - HP 3	9 year 4 hour 9x5 Service for LaserJet Pro MFP 410x
U42U4E - HP 4	I year 4 hour 9x5 Service for LaserJet Pro MFP 410x
U42U5E - HP 5	year 4 hour 9x5 Service for Laser Jet Pro MFP 410x
U42U6E - HP 3	year Next Business Day Advanced Exchange Service for Laser Jet Pro MFP 410x
U42U7E - HP 3	3 year Return to Depot Service for LaserJet Pro MFP 410x
U42U8PE - HP	1 year Post Warranty Next Business Day Service for LaserJet Pro MFP 410x
U42U9PE - HP	1 year Post Warranty 4 hour 9x5 Service for LaserJet Pro MFP 410x
U42V0PE - HP	1 year Post Warranty Next Business Day Advanced Exchange Service for Laser Jet Pro MFP 410x

U42V1PE - HP 1 year Post Warranty Return to Depot Service for LaserJet Pro MFP 410x U9JT1E - HP Installation with Networking Service for Personal Scanner and Printing

<sup>1</sup> Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
 <sup>2</sup> Requires the HP Smart app download. For details on local printing requirements see www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Subscription may be required; subscription may not be available in all countries. See details at www.hpsmart.com. Internet access required and must be purchased separately. HP account required for full functionality. For more information, see www.hpsmart.com.
 <sup>3</sup> Easy setup and manage - Requires use of Smart Admin Dashboard for printer setup and onboarding of users.
 <sup>4</sup> HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
 <sup>5</sup> HP calculations based on ENERGY STAR® normalized TEC data comparing HP LaserJet 2200-500 series printers at launch. See hp.com/ecosmart
 <sup>6</sup> HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.
 <sup>7</sup> Recycling: Program availablity varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/ecosmart

hp.com/recycle. <sup>8</sup> Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs only 3 non-<sup>9</sup> H2 JetAdvantage Security Manager must be purchased separately.
 <sup>9</sup> H2 JetAdvantage Security Manager must be purchased separately.
 <sup>9</sup> H2 JetAdvantage Security Manager must be purchased separately.
 <sup>10</sup> Automatic delivery and consolidated bill: Printers require direct connection to the Internet for program participation. Internet access sold separately.
 <sup>12</sup> Never run out: Based on plan usage, Internet connection to telligible HP printer, valid credit/debit card, email address, and delivery service in your geographic area.

# Data sheet | HP Laser Jet Pro MFP 4101fdn/fdw/dw Black & White Printer Series

lodel	HP LaserJet Pro MFP 4101fdn Printer	HP LaserJet Pro I	MFP 4101fdw Printer	HP LaserJet Pro MFP 4101dw Printer			
oduct number	2Z618F	2Z619F		2Z620F			
) functions	Print, copy, scan, fax			Print, copy, scan			
nt							
nt speed, <sup>7</sup> , <sup>8</sup> , <sup>6</sup>	First page out Letter: As fast as 6.1 sec Black; First page out	A4: As fast as 6.3 sec Black; Letter	Up to 42 ppm Black; A4: Up to 40 ppm Black; Print 9	speed (Landscape, A5): Up to 63 ppm Black			
nt resolution	Black (best) Fine Lines (1200 x 1200 dpi); Black (normal) No	ormal (native 600 x 600 dpi; enhanc	ed up to 4800 × 600 dpi); Black (fine lines) Fine Lines	s (1200 x 1200 dpi)			
nt technology	Laser; Print resolution technology: HP FastRes 1200, HP Pro	oRes1200, Economode					
nt cartridges number	1 (black)	· · ·					
indard print languages	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF, U	JRF, Native Office, PWG Raster					
nter smart software features	Auto duplex and booklet printing, N-up printing, collation, w	atermarks, install printer driver onl	, Economode for toner savings, accepts a variety of	paper sizes and types			
				Proxy Agent (Part of HP WebJetAdmin); Printer Administrator Resource Kit fo			
nter management	Universal Print Driver (Driver Configuration Utility - Driver; D	eployment Utility - Managed Printin	.g Administrator)				
an	•						
an type / Technology	Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS)	; Twain version: Version 2.3					
an resolution	Hardware: Flatbed (Up to 1200 x 1200 dpi); ADF (Up to 300	x 300 dpi); Optical: Up to 1200 x 12	.00 dpi				
an file format	PDF, JPG, TIFF						
in input modes	Front-panel scan, copy, email, or file buttons; HP Scan softw	vare; and user application via TWAIN	J or WIA				
n Size	ADF: 8.5 x 14 in Maximum; 4 x 6 in Minimum; Flatbed: 8.5 x 11.7 in						
in speed <sup>11</sup>	Up to 31 ppm/49 ipm (b&w), up to 21 ppm/36 ipm (color) L4	atter; Up to 29 ppm/46 ipm (b&w),	up to 20 ppm/34 ipm (color) A4; <b>Duplex:</b> Up to 49 ipr	m (b&w), up to 36 ipm (color) Letter; Up to 46 ipm (b&w), up to 34 ipm (color)			
nner advanced features	Single-pass 2-sided scanning ADF, Scan to cloud (Google Drive and DropBox) Scan to email with LDAP email address lookup, Scan to network folder, Scan to USB, Scan to Microsoft SharePoint®, Scan to computer with software, F archive to network folder, Fax archive to email, Fax to computer, Enable/disable fax, Quick Sets; PDF; JPG; Windows HP Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF. Mac HP Easy Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, JPG-2000, PNG, TIFF;						
depth / Grayscale levels	24-bit / 256						
Dy	<b>.</b>						
y speed	Letter: Up to 42 cpm Black; A4: Up to 40 cpm Black; First co	py out Letter: As fast as 6.8 sec Bla	:k; First copy out A4: As fast as 7.2 sec Black; 2-side	d Letter: Up to 36 cpm Black; 2-sided A4: Up to 34 cpm Black			
y resolution	Color (text and graphics): Up to 600 x 600 dpi						
imum Number of Copies	Up to 9999 copies						
ier resize	25 to 400%						
ier settings		Darker: Enhancements: Original Siz	e: Binding Margin: Collation: Tray Selection: Two-Side	ed; Quality (Draft/Normal/Best); Save Current Settings; Restore Factory Defau			
ler settings	is copy, number of copies, neared including 2 opp, signed,	santa, emancemento, originaroie	, binding horgin, contaiton, may selection, two side	a, quarry brancher and best, sure carrier settings, nestore ractory bena			
speed	Up to:33.6 kbps (maximum); 14.4 kbps (default) / Letter:6 s						
resolution	Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98						
			" Distinctive ring detection: Cover page: Block fax: Bil	lling codes; Save and load; Fax activity reports; Dial prefix setting; Print fax lo			
smart software features	Digital Fax	warang, minintenace, sank barner	, Distinctive ring detection, cover page, block tax, bit	ang codes, save and toda, i ax activity reports, blat prenx setting, i fint tax to			
Features	Fax memory: Up to 400 pages; Auto fax reduction supporte Fax forwarding supported: Yes; Fax phone TAM interface su supported: Yes, CSID matching only (Caller ID not supported	pported: Yes; Fax polling supported	: No; Fax telephone mode supported: Yes; Junk barrie	er detection supported: No: Fax phone TAM interface supported: No: Fax			
	retrieval capability supported: Yes (receive only); Telephone	handset supported: No	to 200 numbers, PC interface supported. res, N	polling supported: No; Telephone handset supported: No			
nectivity	•						
ndard connectivity	1 Hi-Speed USB 2.0; 1 rear host USB; 1 Front USB port; Giga 10/100/1000BASE-T network; 802.3az(EEE)		2.0; 1 rear host USB; 1 Front USB port; Gigabit Ethern SE-T network; 802.3az(EEE); 802.11b/g/n/2.4/5 GHZ				
work capabilities	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Aut						
			ople AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printi	29			
bile printing capability mory	HP Smart App; Apple AirPrint <sup>™</sup> ; Mopria <sup>™</sup> Certified Standard: 512 MB; Maximum: 512 MB	TP STIdit App, Ap	ple All Philit, Mopha <sup>21</sup> Certilled, WI-FI- Direct Philiti	iig			
cessor speed	1200 MHz / Storage: Optional Job Storage via external rear	host USB port (minimum 16 GB) / I	ard disk: No				
ty cycle (monthly)	Letter: Up to 80,000 pages; A4: Up to 80,000 pages; Recom						
per handling		mended monthly page volume. 15					
ut	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automa	atic Document Feeder (ADF): Up to 7	50 sheets (Tray 1: up to 100 sheets: Tray 2: up to 2	50 sheets) Standard: Up to 10 envelopes			
tput	Standard: 150-sheet output bin; Up to 150 sheets Standard		SU Sheets (Tray 1. up to 100 sheets, Tray 2. up to 2.	So sheets) standard, op to to envelopes			
plex Options	Automatic (default)						
	Hatomatic (deradit)						
to document feeder conscitu	Standard E0 shoots: Duplay ADE scapping Vos						
. ,	Standard, 50 sheets; Duplex ADF scanning: Yes		No				
velope feeder	No						
elope feeder ndard paper trays	No Standard: 2; Maximum: 3	head preprinted propulation	rlad rough); anvalopse: labale;				
velope feeder ndard paper trays dia types	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letter						
velope feeder indard paper trays dia types	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, lette Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to 3	32 lb; Tray 1: 60 to 200 g/m² ; tray	2, optional 550-sheet tray 3: 60 to 120 g/m²				
velope feeder ındard paper trays dia types dia weight	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, lette Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); Cust Double Japan Postcard; Rotated; Envelope #10; Envelope M	32 lb; Tray 1: 60 to 200 g/m <sup>2</sup> ; tray anese Postcard; Double Japan Post om Size; 5 x 8 in; Statement; Tray 1 onarch; Envelope B5; Envelope C5; f	2, optional 550-sheet tray 3: 60 to 120 g/m² card Rotated; Envelope #10; Envelope Monarch; Env : A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (19	elope B5; Envelope C5; Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statemer J5 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcar ht; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27			
elope feeder ndard paper trays jia types jia weight jia sizes	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letter Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2.8. Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); Cust Double Japan Postcard; Rotated; Erveologe 410; Cerveloge M 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5	32 lb; Tray 1: 60 to 200 g/m²; tray anese Postcard; Double Japan Post om Size; 5 x 8 in; Statement; Tray 1 onarch; Envelope B5; Envelope C5; B 5-R; 4 x 6 in; B6 (JIS)	2, optional 550-sheet tray 3: 60 to 120 g/m² card Rotated; Envelope #10; Envelope Monarch; Env : A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (19 invelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statemer	35 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcarc nt; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27			
elope feeder ndard paper trays dia types dia weight dia sizes dia Sizes Custom	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letter Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to: Tray 1: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); Cust Double Japan Postcard; Rotated; Envelope #10; Envelope M 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5 Tray 1: 3 x 5 to 8.5 x 14 in, Tray 2, 3: 4.12 x 5.83 to 8.5 x 14	32 lb; Tray 1: 60 to 200 g/m²; tray anese Postcard; Double Japan Post on Size; 5 x 8 in; Statement; Tray 1 onarch; Envelope B5; Envelope C5; f 5-R; 4 x 6 in; B6 (JIS) in; Tray 1: 76.2 x 127 to 215.9 x 33	2, optional 550-sheet tray 3: 60 to 120 g/m <sup>2</sup> card Rotated; Envelope #10; Envelope Monarch; Env : A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (19 invelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statemer 55.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6	35 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcarc nt; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27			
elope feeder ndard paper trays dia types dia weight dia sizes dia Sizes Custom ensions (W x D x H)	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letter Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to: Tray 1: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2.8. Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2.8. Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2.8. Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2.8. Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); Cust Double Japan Postcard; Rotated; Ervelope #10; Ervelope Min 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5 Tray 1: 3 x 5 to 8.5 x 14 in, Tray 2, 3: 4.12 x 5.83 to 8.5 x 14 16.54 x 15.35 x 12.72 in; 420 x 390 x 323 mm; Maximum:	32 lb; Tray 1: 60 to 200 g/m²; tray anese Postcard; Double Japan Post on Size; 5 x 8 in; Statement; Tray 1 onarch; Envelope B5; Envelope C5; f 5-R; 4 x 6 in; B6 (JIS) in; Tray 1: 76.2 x 127 to 215.9 x 33	2, optional 550-sheet tray 3: 60 to 120 g/m <sup>2</sup> card Rotated; Envelope #10; Envelope Monarch; Env : A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (19 invelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statemer 55.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6	55 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcara nt; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27 mm			
relope feeder ndard paper trays dia types dia weight dia sizes dia Sizes Custom nensions (W x D x H)	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, lette Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to: Tray 1: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); Cust Double Japan Postcard Rotated; Ervelope #10; Envelope M 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5 Tray 1: 3 x 5 to 8.5 x 14 in, Tray 2, 3: 4.12 x 5.83 to 8.5 x 14 16.54 x 15.35 x 12.72 in; 420 x 390 x 323 mm; Maximum; 27.78 lb; 12.6 kg	32 lb; Tray 1: 60 to 200 g/m²; tray anese Postcard; Double Japan Post om Size; 5 x 8 in; Statement; Tray 1 onarch; Envelope BS; Envelope CS; I 5-R; 4 x 6 in; 86 (JIS) in; Tray 1: 76.2 x 127 to 215.9 x 39 16.93 x 25 x 12.8 in; 430 x 634 x 37	2, optional 550-sheet tray 3: 60 to 120 g/m <sup>2</sup> card Rotated: Envelope #10; Envelope Monarch; Env : A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (19 invelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statemer 55.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 25 mm	35 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcarc nt; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27			
velope feeder ndard paper trays dia types dia weight dia sizes dia sizes dia sizes Custom nensions (W x D x H) light at's in the box <sup>2</sup>	No           Standard: 2; Maximum: 3           Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letter           Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to:           Tray 1: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap           2.8. Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap           Double: Japa Postcard Rotated; Ervelope 410; Ervelope Min           16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5           Tray 1: 3 x 5 to 8.5 x 14 in, Tray 2, 3: 4.12 x 5.83 to 8.5 x 14           16.54 x 15.35 x 12.72 in; 420 x 390 x 323 mm; Maximum:           27.78 lb; 12.6 kg           HP Black Original Laser Jet Toner Cartridge; Getting Started (0)	32 lb; Tray 1: 60 to 200 g/m²; tray anese Postcard; Double Japan Post om Size; 5 x 8 in; Statement; Tray 1 onarch; Ervelope BS; Ervelope CS; f 5-R; 4 x 6 in; B6 (JIS) in; Tray 1: 76.2 x 127 to 215.9 x 3 16.93 x 25 x 12.8 in; 430 x 634 x 3 Guide; Support Flyer; Warranty Guid	2, optional 550-sheet tray 3: 60 to 120 g/m <sup>2</sup> card Rotated: Envelope #10; Envelope Monarch; Env : A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (19 Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statemer 55.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 25 mm e; Regulatory Flyer; Power cord	15 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcarn nt; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27 is mm 18.13 lb; 8.22 kg			
velope feeder indard paper trays dia types dia weight dia sizes dia sizes dia Sizes Custom nensions (W x D x H) ight hat's in the box <sup>2</sup>	No           Standard: 2; Maximum: 3           Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letter           Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to:           Tray 1: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap           2.8. Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap           Double: Japa Postcard Rotated; Ervelope 410; Ervelope Min           16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5           Tray 1: 3 x 5 to 8.5 x 14 in, Tray 2, 3: 4.12 x 5.83 to 8.5 x 14           16.54 x 15.35 x 12.72 in; 420 x 390 x 323 mm; Maximum:           27.78 lb; 12.6 kg           HP Black Original Laser Jet Toner Cartridge; Getting Started (0)	32 lb; Tray 1: 60 to 200 g/m²; tray anese Postcard; Double Japan Post om Size; 5 x 8 in; Statement; Tray 1 onarch; Ervelope BS; Ervelope CS; f 5-R; 4 x 6 in; B6 (JIS) in; Tray 1: 76.2 x 127 to 215.9 x 3 16.93 x 25 x 12.8 in; 430 x 634 x 3 Guide; Support Flyer; Warranty Guid	2, optional 550-sheet tray 3: 60 to 120 g/m <sup>2</sup> card Rotated: Envelope #10; Envelope Monarch; Env : A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (19 Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statemer 55.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 25 mm e; Regulatory Flyer; Power cord	55 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcara nt; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27 mm			
velope feeder ndard paper trays dia types dia veight dia sizes dia Sizes Custom nensions (W x D x H) ight at's in the box <sup>2</sup> rranty features	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letter Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to 2 Tray 1: Letter; Legal; Executive; Oficio (8.5 x 13 in); T6K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); T6K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); T6K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); T6K; Jap 2 & Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, 3: 4.12 x 5.83 to 8.5 x 14 16.54 x 15.35 x 12.72 in; 420 x 390 x 323 mm; Maximum: 27.78 lb; 12.6 kg HP Black Original Laser, Jet Toner Cartridge; Getting Started ( One-year Bench/Depot Repair warranty. Warranty and supp-	32 lb; Tray 1: 60 to 200 g/m²; tray anese Postcard; Double Japan Post om Size; 5 x 8 in; Statement; Tray 1 onarch; Ervelope BS; Ervelope CS; f 5-R; 4 x 6 in; B6 (JIS) in; Tray 1: 76.2 x 127 to 215.9 x 3 16.93 x 25 x 12.8 in; 430 x 634 x 3 Guide; Support Flyer; Warranty Guid	2, optional 550-sheet tray 3: 60 to 120 g/m <sup>2</sup> card Rotated: Envelope #10; Envelope Monarch; Env : A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (19 Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statemer 55.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 25 mm e; Regulatory Flyer; Power cord	15 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcarn nt; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27 is mm 18.13 lb; 8.22 kg			
elope feeder ndard paper trays dia types dia sizes dia sizes dia sizes (ustom nensions (W x D x H) ight at's in the box <sup>2</sup> rranty features rrgy star certified	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, lette Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5 Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, 3: 4.12 x 5.83 to 8.5 x 14 16.54 x 15.35 x 12.72 in; 420 x 390 x 323 mm; Maximum: 27.78 lb; 12.6 kg HP Black Original Laser Jet Toner Cartridge; Getting Started ( 0 m-year Bench/Depot Repair warranty. Warranty and supp support options in your region. (wty code 4E; wty ID A033)	32 lb; Tray 1: 60 to 200 g/m²; tray anese Postcard; Double Japan Post om Size; 5 x 8 in; Statement; Tray 1 onarch; Ervelope BS; Ervelope CS; f 5-R; 4 x 6 in; B6 (JIS) in; Tray 1: 76.2 x 127 to 215.9 x 3 16.93 x 25 x 12.8 in; 430 x 634 x 3 Guide; Support Flyer; Warranty Guid	2, optional 550-sheet tray 3: 60 to 120 g/m <sup>2</sup> card Rotated: Envelope #10; Envelope Monarch; Env : A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (19 Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statemer 55.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 25 mm e; Regulatory Flyer; Power cord	15 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcarn nt; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27 is mm 18.13 lb; 8.22 kg			
elope feeder indard paper trays lia types lia weight lia sizes lia Sizes Custom mensions (W x D x H) ght at's in the box <sup>2</sup> rranty features rgy star certified labels <sup>5</sup>	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, lette Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2,& Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2,& Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2,& Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Maximum; 10, Evelope M 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5 Tray 1: 3 x 5 to 8.5 x 14 in, Tray 2, 3: 4.12 x 5.83 to 8.5 x 14 16.54 x 15.35 x 12.72 in; 420 x 390 x 323 mm; Maximum; 27.78 lb; 12.6 kg HP Black Original LaserJet Toner Cartridge; Getting Started (0 One-year Bench/Depot Repair warranty. Warranty and support options in your region. (wty code 4E; wty ID A033) Yes	32 lb; Tray 1: 60 to 200 g/m²; tray anese Postcard; Double Japan Post om Size; 5 x 8 in; Statement; Tray 1 onarch; Ervelope BS; Ervelope CS; f 5-R; 4 x 6 in; B6 (JIS) in; Tray 1: 76.2 x 127 to 215.9 x 3 16.93 x 25 x 12.8 in; 430 x 634 x 3 Guide; Support Flyer; Warranty Guid	2, optional 550-sheet tray 3: 60 to 120 g/m <sup>2</sup> card Rotated: Envelope #10; Envelope Monarch; Env : A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (19 Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statemer 55.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 25 mm e; Regulatory Flyer; Power cord	55 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcar nt; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27 5 mm 18.13 lb; 8.22 kg :tual Vendor or go to hp.com/support to learn about HP award winning servic			
elope feeder ndard paper trays lia types lia weight lia sizes lia sizes Custom mensions (W x D x H) ght at's in the box <sup>2</sup> ranty features rgy star certified labels <sup>5</sup> trol panel	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, lette Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2.8, Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2.8, Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2.8, Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2.8, Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); Custo Double: Japan Postcard Rotated; Envelope # 10; Envelope M 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5 Tray 1: 3 x 5 to 8.5 x 14 in, Tray 2, 3: 4.12 x 5.83 to 8.5 x 14 16.54 x 15.35 x 12.72 in; 420 x 390 x 323 mm; Maximum: 27.78 lb; 12.6 kg HP Black Original Laser Jet Toner Cartridge; Getting Started (0 One-year Bench/Depot Repair warranty. Warranty and supp support options in your region. (wty code 4E; wty ID A033) Yes ENERGY STAR® qualified; EPEAT® Silver; IT ECO Declaration	32 lb; Tray 1: 60 to 200 g/m²; tray anese Postcard; Double Japan Post om Size; 5 x 8 in; Statement; Tray 1 onarch; Ervelope BS; Ervelope CS; f 5-R; 4 x 6 in; B6 (JIS) in; Tray 1: 76.2 x 127 to 215.9 x 3 16.93 x 25 x 12.8 in; 430 x 634 x 3 Guide; Support Flyer; Warranty Guid	2, optional 550-sheet tray 3: 60 to 120 g/m <sup>2</sup> card Rotated: Envelope #10; Envelope Monarch; Env : A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (19 Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statemer 55.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 25 mm e; Regulatory Flyer; Power cord	55 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcar nt; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27 5 mm 18.13 lb; 8.22 kg :tual Vendor or go to hp.com/support to learn about HP award winning servic			
elope feeder ndard paper trays dia types dia weight dia sizes dia sizes dia sizes Custom nensions (W x D x H) ight at's in the box <sup>2</sup> erranty features wrgy star certified labels <sup>5</sup> tirol panel blay	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letter Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 10 & Star 27, 3 x 5 to 8.5 x 14 in, Tray 2, 3: 4.12 x 5.83 to 8.5 x 14 16.54 x 15.35 x 12.72 in; 420 x 390 x 323 mm; Maximum; 27.78 lb; 12.6 kg HP Black Original Laser Jet Toner Cartridge; Getting Started ( One-year Bench/Depot Repair warranty. Warranty and supp support options in your region. (wty code 4E; wty ID A033) Yes ENERGY STAR® qualified; EPEAT® Silver; IT ECO Declaration 2.7" Color Touchscreen	32 lb; Tray 1: 60 to 200 g/m²; tray anese Postcard; Double Japan Post om Size; 5 x 8 in; Statement; Tray 1 onarch; Ervelope B5; Ervelope C5; l 5-R; 4 x 6 in; B6 (JIS) in; Tray 1: 76.2 x 127 to 215.9 x 3! 16.93 x 25 x 12.8 in; 430 x 634 x 32 Guide; Support Flyer; Warranty Guid bort options vary by product, countr	2, optional 550-sheet tray 3: 60 to 120 g/m <sup>2</sup> card Rotated: Envelope #10; Envelope Monarch; Env : A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (19 Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statemer 55.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 25 mm e; Regulatory Flyer; Power cord	55 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcar nt; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27 5 mm 18.13 lb; 8.22 kg :tual Vendor or go to hp.com/support to learn about HP award winning servic			
elope feeder ndard paper trays dia types dia types dia sizes dia Sizes Custom tensions (W x D x H) ght at's in the box <sup>2</sup> tranty features trgy star certified tabels <sup>5</sup> trol panel olay tware included	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, lette Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5 Tray 1: 3 x 5 to 8.5 x 14 in, Tray 2, 3: 4.12 x 5.83 to 8.5 x 14 16.54 x 15.35 x 12.72 in; 420 x 390 x 323 mm; Maximum; 27.78 lb; 12.6 kg HP Black Original Laser Jet Toner Cartridge; Getting Started ( One-year Bench/Depot Repair warranty. Warranty and supp support options in your region. (wty code 4E; wty ID A033) Yes ENERGY STAR® qualified; EPEAT® Silver; IT ECO Declaration 2.7" (o.68 cm) intuitive color touchscreen (CGD)	32 lb; Tray 1: 60 to 200 g/m²; tray anese Postcard; Double Japan Post om Size; 5 x 8 in; Statement; Tray 1 onarch; Ervelope B5; Ervelope C5; l 5-R; 4 x 6 in; B6 (JIS) in; Tray 1: 76.2 x 127 to 215.9 x 3! 16.93 x 25 x 12.8 in; 430 x 634 x 32 Guide; Support Flyer; Warranty Guid bort options vary by product, countr	2, optional 550-sheet tray 3: 60 to 120 g/m <sup>2</sup> card Rotated: Envelope #10; Envelope Monarch; Env : A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (19 Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statemer 55.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 25 mm e; Regulatory Flyer; Power cord	55 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcar nt; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27 5 mm 18.13 lb; 8.22 kg :tual Vendor or go to hp.com/support to learn about HP award winning servic			
elope feeder ndard paper trays dia types dia types dia sizes dia Sizes Custom dia Sizes Custom	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, lette: Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 (s, sh Double Japan Postcard Rotated; Ervelope #10; Ervelope M 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5 Tray 1: 3 x 5 to 8.5 x 14 in, Tray 2, 3: 4.1 2 x 5.83 to 8.5 x 14 16.54 x 15.3 x 12.72 in; 420 x 390 x 323 mm; Maximum; 27.78 lb; 12.6 kg HP Black Original Laser Jet Toner Cartridge; Getting Started ( One-year Bench/Depot Repair warranty. Warranty and supp support options in your region. (wty code 4E; wty ID A033) Yes ENERGY STAR® qualified; EPEAT® Silver; IT ECO Declaration 2.7" (6.85 cm) intuitive color touchscreen (CGD) No software solutions are included in the Box only on http://	32 lb; Tray 1: 60 to 200 g/m²; tray anese Postcard; Double Japan Post om Size; 5 x 8 in; Statement; Tray 1 onarch; Envelope ES; Envelope CS; l 5-R; 4 x 6 in; B6 UIS) in; Tray 1: 76.2 x 127 to 215.9 x 3! 16.93 x 25 x 12.8 in; 430 x 634 x 3; Guide; Support Flyer; Warranty Guid ort options vary by product, countr	2, optional 550-sheet tray 3: 60 to 120 g/m <sup>2</sup> card Rotated; Envelope #10; Envelope Monarch; Env. : A4; A5, A6; B5 (JIS); Oficio (216 x 340 mm); 16K (19 invelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statemer 55.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 25 mm e; Regulatory Flyer; Power cord y and local legal requirements. Contact your Contrac	15x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcar         nt; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27         imm         18.13 lb; 8.22 kg         :tual Vendor or go to hp.com/support to learn about HP award winning servic         IT ECO Declaration; EPEAT® Silver registered			
elope feeder ndard paper trays dia types dia types dia sizes dia sizes dia sizes Custom nensions (W x D x H) igint at's in the box <sup>2</sup> rranty features ergy star certified tabels <sup>5</sup> tirol panel play tware included tware incl	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, lette: Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 k; Jap Tray 1: 3x 5 to 8.5 x 14 in, Tray 2, 3: 41 zx 5.83 to 8.5 x 14 16.54 x 15.35 x 12.72 in; 420 x 390 x 323 mm; Maximum: 27.78 lb; 12.6 kg HP Black Original Laser Jet Toner Cartridge; Getting Started ( One-year Bench/Depot Repair warranty. Warranty and supp support options in your region. (wty code 4E; wty ID A033) Yes ENERGY STAR® qualified; EPEAT® Silver; IT ECO Declaration 2.7" (6.86 cm) intuitive color touchscreen (CGD) Ns osftware solutions are included in the Box only on http:/ B4 scalable TrueType fonts Windows 11; Windows 10; Windows 7; Windows Client 05; 6	32 lb; Tray 1: 60 to 200 g/m²; tray anese Postcard; Double Japan Post om Size; 5 x 8 in; Statement; Tray 1 onarch; Envelope ES; Envelope CS; l 5-R; 4 x 6 in; B6 UIS) in; Tray 1: 76.2 x 127 to 215.9 x 3! 16.93 x 25 x 12.8 in; 430 x 634 x 3; Guide; Support Flyer; Warranty Guid ort options vary by product, countr	2, optional 550-sheet tray 3: 60 to 120 g/m <sup>2</sup> card Rotated; Envelope #10; Envelope Monarch; Env. : A4; A5, A6; B5 (JIS); Oficio (216 x 340 mm); 16K (19 invelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statemer 55.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 25 mm e; Regulatory Flyer; Power cord y and local legal requirements. Contact your Contrac	15x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcar         nt; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27         imm         18.13 lb; 8.22 kg         :tual Vendor or go to hp.com/support to learn about HP award winning servic         IT ECO Declaration; EPEAT® Silver registered			
velope feeder ndard paper trays dia types dia types dia sizes dia sizes dia sizes Custom nensions (W x D x H) ight at's in the box <sup>2</sup> rranty features ergy star certified stabels <sup>5</sup> throl panel play tware included tware inc	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, lette Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to Tray 1: Letter; Legal; Executive; Offici (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Offici (8.5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Offici (8.5 x 13 in); 16K; Jap 2 & Tray 1: 3 x 5 to 8.5 x 14 in, Tray 2, 3: 4.12 x 5.83 to 8.5 x 14 16.54 x 15.35 x 12.72 in; 420 x 390 x 323 mm; Maximum: 27.78 lb; 12.6 kg HP Black Original LaserJet Toner Cartridge; Getting Started (	32 lb; Tray 1: 60 to 200 g/m²; tray anese Postcard; Double Japan Post om Size; 5 x B in; Statement; Tray 1 onarch; Envelope ES; Envelope CS; l in; Tray 1: 76.2 x 127 to 215.9 x 3; 16.93 x 25 x 12.8 in; 430 x 634 x 32 Guide; Support Flyer; Warranty Guid oort options vary by product, countr //hp.com; http://123.hp.com; Android; iOS; Mobile OS; macOS 10.	2, optional 550-sheet tray 3: 60 to 120 g/m <sup>2</sup> card Rotated; Envelope #10; Envelope Monarch; Env. A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (19 invelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statemer 55.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 25 mm e; Regulatory Flyer; Power cord y and local legal requirements. Contact your Contrac 15 Catalina; macOS 11 Big Sur; macOS 12 Monterey;	55 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcar nt; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27 5 mm 18.13 lb; 8.22 kg :tual Vendor or go to hp.com/support to learn about HP award winning servic IT ECO Declaration; EPEAT® Silver registered Chrome OS			
to document feeder capacity velope feeder andard paper trays dia types dia types dia sizes dia Sizes Custom mensions (W x D x H) alght at's in the box <sup>2</sup> arranty features ergy star certified plabels <sup>5</sup> ntral panel play ftware included nts and typefaces mpatible operating systems mpatible network operating stems	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, lette Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to  Tray 1: Letter; Legal; Executive; Ofici (0: 6, 5 x 13 int); ThK; Jap 2 & Tray 3: Letter; Legal; Executive; Ofici (0: 5, 5 x 13 int); ThK; Jap 2 & Tray 3: Letter; Legal; Executive; Ofici (0: 5, 5 x 13 int); ThK; Jap 2 & Tray 3: Letter; Legal; Executive; Ofici (0: 5, 5 x 13 int); ThK; Jap 2 & Tray 3: Letter; Legal; Executive; Ofici (0: 5, 5 x 13 int); ThK; Jap 2 & Tray 3: Letter; Legal; Executive; Ofici (0: 5, 5 x 13 int); ThK; Jap 2 & Tray 1: 3 x 5 to 8.5 x 14 in, Tray 2, 3: 4.12 x 5.83 to 8.5 x 14 16.54 x 15.35 x 12.72 in; 420 x 390 x 323 mm; Maximum; 12.77 lb; 12.5 kg HP Black Original LaserJet Toner Cartridge; Getting Started (1) One-year Bench/Depot Repair warranty. Warranty and supp support options in your region. (wty code 4E; wty ID A033) Yes ENERGY STR® qualified; EPEAT® Silver; IT ECO Declaration 2.7" Color Touchscreen 2.7" (6.86 cm) intuitive color touchscreen (CGD) No software solutions are included in the Box only on http:// B4 scalable TrueType fonts Windows 11; Windows 10; Windows 7; Windows Client 05; # Windows 8; Windows Server; Linux; Citrix; Novell PC2 GB available hard disk space; Internet connection or US Mac: 2 GB available hard disk space; Internet connection or US	32 lb; Tray 1: 60 to 200 g/m²; tray anese Postcard; Double Japan Post om Size; 5 x 8 in; Statement; Tray 1 onarch; Envelope ES; Envelope CS; I in; Tray 1: 76.2 x 127 to 215.9 x 31 16.93 x 25 x 12.8 in; 430 x 634 x 32 Guide; Support Flyer; Warranty Guid ovrt options vary by product, countr /hp.com; http://123.hp.com; Android; iOS; Mobile OS; macOS 10. SB port; Internet browser. For additi USB port; Internet browser. For additi	2, optional 550-sheet tray 3: 60 to 120 g/m <sup>2</sup> card Rotated; Envelope #10; Envelope Monarch; Env. A4, 45, A5; B5 UIS; Oficio (216 x 340 mm); 16K (19 invelope DL; Custom Size; 4 × 6 in; 5 x 8 in; Statemer 55.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 25 mm e; Regulatory Flyer; Power cord y and local legal requirements. Contact your Contrac 15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; onal OS hardware requirements see microsoft.com; ditional OS hardware requirements see apple.com;	15. x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcarn         nt; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27         imm         18.13 lb; 8.22 kg         :tual Vendor or go to hp.com/support to learn about HP award winning servic         IT ECO Declaration; EPEAT® Silver registered         Chrome OS			
velope feeder andard paper trays dia types dia types dia sizes dia sizes dia sizes Custom mensions (W × D × H) sight at's in the box <sup>2</sup> arranty features ergy star certified plabels <sup>5</sup> ntrol panel iplay ftware included nts and typefaces mpatible operating systems mpatible network operating terms	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, lette Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to  Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to  Tray 1: Letter; Legal; Executive; Oficio (8,5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8,5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8,5 x 13 in); 16K; Jap 2 & Tray 3: Letter; Legal; Executive; Oficio (8,5 x 13 in); 16K; Jap 2 & Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, 3: 4.12 x 5.83 to 8.5 x 14 16.54 x 15.35 x 12.72 in; 420 x 390 x 323 mm; Maximum: 27.78 lb; 12.6 kg HP Black Original LaserJet Toner Cartridge; Getting Started ( One-year Bench/Depot Repair warranty. Warranty and supp support options in your region. (wty code 4E; wty ID A033) Yes ENERGY STAR® qualified; EPEAT® Silver; IT ECO Declaration 2.7° (6.86 cm) intuitive color touchscreen (CGD) No software solutions are included in the Box only on http:/ B4 scalable TrueType fonts Windows 1; Windows 10; Windows 7; Windows Client OS; / Windows 8; Windows Server; Linux; Clitrix; Novell PC2 GB available hard disk space; Internet connection or US Mac: 2 GB available hard disk space; Internet connection or US	32 lb; Tray 1: 60 to 200 g/m²; tray anese Postcard; Double Japan Post om Size; 5 x B in; Statement; Tray 1 onarch; Envelope ES; Envelope CS; li S-R; 4 x 6 in; B6 (JIS) lin; Tray 1: 76.2 x 127 to 215.9 x 33 16.93 x 25 x 12.8 in; 430 x 634 x 32 Guide; Support Flyer; Warranty Guid or options vary by product, countr diversion of the state of the state of the state /hp.com; http://123.hp.com; Android; iOS; Mobile OS; macOS 10. SB port; Internet browser. For additi USB port; Internet browser. For additi uspp) required; 110-volt input volta dentifier); Power consumption:	2, optional 550-sheet tray 3: 60 to 120 g/m <sup>2</sup> card Rotated; Envelope #10; Envelope Monarch; Env : A4; A5; A6; B5 UIS; Oficio (216 x 340 mm); 16K (19 invelope DL; Custom Size; 4 × 6 in; 5 x 8 in; Statemer 55.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 25 mm e; Regulatory Flyer; Power cord y and local legal requirements. Contact your Contrac up and local legal requirements. Contact your Contrac 55 catalina; macOS 11 Big Sur; macOS 12 Monterey; 56 catalina; macOS 11 Big Sur; macOS 12 Monterey; 57 contact your Contract your Contract 15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; 58 contact your Contract your Contract your Contract 15 catalina; macOS 11 Big Sur; macOS 12 Monterey; 59 contact your Contract your Contract your Contract 15 catalina; macOS 11 Big Sur; macOS 12 Monterey; 50 contact your Contract your C	55 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcar nt; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27 5 mm 18.13 lb; 8.22 kg :tual Vendor or go to hp.com/support to learn about HP award winning servic IT ECO Declaration; EPEAT® Silver registered Chrome OS			
elope feeder ndard paper trays fia types fia types fia weight fia sizes fia Sizes Custom tensions (W x D x H) ght at's in the box <sup>2</sup> rranty features rgy star certified tabels <sup>5</sup> trol panel vare included ts and typefaces npatible operating systems patible operating systems patible network operating terms	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, lette Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to ; Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to ; Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to ; Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to ; Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to ; Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to ; Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to ; Tray 1: 3 to 50 she she she tray the contexplope M 16K (184 × 260 mm); 16K (197 × 273 mm); Custom Size; AS Tray 1: 3 x 5 to 8.5 x 14 in, Tray 2, 3: 4.12 x 5.83 to 8.5 x 14 16.54 x 15.35 x 12.72 in; 420 x 390 x 323 mm; Maximum; 27.78 lb; 12.6 kg HP Black Original Laser Jet Toner Cartridge; Getting Started 0 One-year Bench/Depot Repair warranty. Warranty and supp support options in your region. (wty code 4E; wty ID A033) Yes 2.7" (olor Touchscreen 2.7" (6.86 cm) intuitive color touchscreen (CGD) No software solutions are included in the Box only on http:/ 84 scalable TrueType fonts Windows 11; Windows 10; Windows 7; Windows Client 05; / Windows 8; Windows Server; Linux; Citrix; Novell PC2: GB available hard disk space; Internet connection or US Ma: 2 GB available hard disk space; Internet connection or US Ma: 2 GB available hard disk space; Internet connection or US Ma: 2 GB available hard disk space; Internet connection or US Ma: 2 GB available hard disk space; Internet connection or US Ma: 2 GB available hard disk space; Internet connection or US Ma: 2 GB available hard disk space; Internet connection or US Ma: 2 GB available hard disk space; Internet connection or US Ma: 4 GB available hard disk space; Internet connection or US Ma: 4 GB available hard disk space; Internet connection or US Ma: 4 GB available hard disk space; Internet connection or US Ma: 4 GB available hard disk space; Internet connection or US Ma: 4 GB available hard disk space; Internet connection or US Ma: 4 GB av	32 lb; Tray 1: 60 to 200 g/m²; tray anese Postcard; Double Japan Post om Size; 5 x B in; Statement; Tray 1 onarch; Envelope ES; Envelope CS; li S-R; 4 x 6 in; B6 (JIS) lin; Tray 1: 76.2 x 127 to 215.9 x 33 16.93 x 25 x 12.8 in; 430 x 634 x 32 Guide; Support Flyer; Warranty Guid or options vary by product, countr diversion of the state of the state of the state /hp.com; http://123.hp.com; Android; iOS; Mobile OS; macOS 10. SB port; Internet browser. For additi USB port; Internet browser. For additi uspp) required; 110-volt input volta dentifier); Power consumption:	2, optional 550-sheet tray 3: 60 to 120 g/m <sup>2</sup> card Rotated; Envelope #10; Envelope Monarch; Env : A4; A5; A6; B5 UIS; Oficio (216 x 340 mm); 16K (19 invelope DL; Custom Size; 4 × 6 in; 5 x 8 in; Statemer 55.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 25 mm e; Regulatory Flyer; Power cord y and local legal requirements. Contact your Contrac up and local legal requirements. Contact your Contrac 55 catalina; macOS 11 Big Sur; macOS 12 Monterey; 56 catalina; macOS 11 Big Sur; macOS 12 Monterey; 57 contact your Contract your Contract 15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; 58 contact your Contract your Contract your Contract 15 catalina; macOS 11 Big Sur; macOS 12 Monterey; 59 contact your Contract your Contract your Contract 15 catalina; macOS 11 Big Sur; macOS 12 Monterey; 50 contact your Contract your C	55 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Jaganese Postcar nt; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27 5 mm 18.13 lb; 8.22 kg :tual Vendor or go to hp.com/support to learn about HP award winning servic IT ECO Declaration; EPEAT® Silver registered Chrome OS : 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 H2) (Not d			
elope feeder idard paper trays ia types ia weight ia sizes ia Sizes Custom ensions (W × D × H) ght it's in the box <sup>2</sup> ranty features rgy star certified abels <sup>5</sup> troi panel tay ware included tas and typefaces upatible operating systems patible network operating ems mum system requirements ter <sup>10</sup>	No Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, lette Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to : Tray 1: Letter; Legal; Executive; Ofici o( 8.5 x 13 int); Trick; Jap 2 & Tray 3: Letter; Legal; Executive; Ofici o( 8.5 x 13 int); Trick; Jap 2 & Tray 3: Letter; Legal; Executive; Ofici o( 5.5 x 13 int); Trick; Jap 2 & Tray 3: Letter; Legal; Executive; Ofici o( 5.5 x 13 int); Trick; Jap 2 & Tray 3: Letter; Legal; Executive; Ofici o( 5.5 x 13 int); Trick; Jap 2 & Tray 3: Letter; Legal; Executive; Ofici o( 5.5 x 13 int); Trick; Jap 2 & Tray 3: S to 8.5 x 14 in, Tray 2, 3: 4.12 x 5.83 to 8.5 x 14 16.54 x 15.35 x 12.72 in; 420 x 390 x 323 mm; Maximum; 17.77 lb; 12.6 kg HP Black Original LaserJet Toner Cartridge; Getting Started ( One-year Bench/Depot Repair warranty. Warranty and supp support options in your region. (wty code 4E; wty ID A033) Yes ENERGY STAR® qualified; EPEAT® Silver; IT ECO Declaration 2.7" (0.636 cm) intuitive color touchscreen (CGD) No software solutions are included in the Box only on http:/ 84 scalable TrueType fonts Windows 11; Windows 10; Windows 7; Windows Client 05; / Windows 8; Windows Server; Linux; Ctrix; Novell PC2 GB available hard disk space; Internet connection or US Mac: 2 GB available hard disk space; Internet connection or US Mac: 2 GB available hard disk space; Internet connection or US Mac: 2 GB available hard disk space; Internet connection or US Mac: 2 GB available hard disk space; Internet connection or US Mac: 2 GB available hard disk space; Internet connection or US Mac: 2 GB available hard disk space; Internet connection or US Mac: 2 GB available hard disk space; Internet connection or US Mac: 2 GB available hard disk space; Internet connection or US Mac: 2 GB available hard disk space; Internet connection or US Mac: 2 GB available hard disk space; Internet connection or US Mac: 2 GB available hard disk space; Internet connection or US Mac: 2 GB available hard disk space; Internet connection or US Mac: 2 GB available har	32 lb; Tray 1: 60 to 200 g/m²; tray anese Postcard; Double Japan Post om Size; 5 x B in; Statement; Tray 1 onarch; Envelope ES; Envelope CS; l in; Tray 1: 76.2 x 127 to 215.9 x 3 16.93 x 25 x 12.8 in; 430 x 634 x 32 Guide; Support Flyer; Warranty Guid oort options vary by product, countr options vary by product, countr //hp.com; http://123.hp.com; Android; iOS; Mobile OS; macOS 10. SB port; Internet browser. For additi USB port; Internet browser. For additi USB port; Internet browser. For additi USB port; Internet browser. For additi (ISB port; Internet browser. For additi (ISB port; Internet browser. Sor additing); Power consumption; 510 nption (TEC) number; 0.40 kWh/We ecommended operating temperatu	2, optional 550-sheet tray 3: 60 to 120 g/m² card Rotated; Envelope #10; Envelope Monarch; Env. A4, A5, A6; B5 UIS; Oficio (216 x 340 mm); 16K (19 invelope DL; Custom Size; 4 × 6 in; 5 x 8 in; Statemer 55.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 25 mm e; Regulatory Flyer; Power cord y and local legal requirements. Contact your Contrac 15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; ditional OS hardware requirements see microsoft.com; ditional OS hardware requirements see apple.com; age: 110 to 127 VAC (+- 10%), SU/60 Hz (+- 2 Hz); watts (active printing). 7.5 watts (ready), O.9 watts ( k (Blue Angel); 0.44 kWh/Week (Energy Star 3.0)	55 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Jaganese Postcar nt; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 27 5 mm 18.13 lb; 8.22 kg :tual Vendor or go to hp.com/support to learn about HP award winning servic IT ECO Declaration; EPEAT® Silver registered Chrome OS : 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 H2) (Not d			

19/52 and continuous printing. Actual yields vary considerably based on images printed and other rators: " Savings claim toher — Hased on monthy subscription cost of HP instant in k monochrome toner service" (JSUD-BEAT\* registration and based on Software applicable. EPAT registration varies by country. Declared yields based on ISO(1)Converside 15 ePEAT\* registration status by country. See http://www.hp.com/go/printerclaims.extual yields vary considerably based on images printed and other rators. For more information see http://www.hp.com/go/printerclaims.extual yields vary considerably based on images printed and other rators. So other application, driver, and document complexity. <sup>T</sup> Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims.Exact speed varies depending on the system configuration, driver, and document complexity. <sup>T</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims.Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>T</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims.Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>®</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims.Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>®</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims.Exact speed varies depending on the system configuration, software application, driver, and document for Blue Ang. <sup>10</sup> Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). <sup>11</sup> Scan speeds measured from ADF. Actu

To learn more, visit hp.com

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. May 2023

